

特种设备安全监察

Notes

1. The report is obtained based in the type-examination compliance with

2. The report must be printed or filled out in fountain pens/sign pens with neat and clear handwriting, no alternation.

3. The report is invalid if not signed by signature, and it is also invalid without approval number of the type testing organization, special seal for report and paging seal.

4. There will be two versions of the report: electronic and printed formats. They are equal in authorities.

5. Any discrepancy about the report from applicant should be raised within 15 working days after receiving the report.

6. The report is responsible for the tested sample only.

Name: Shenzhen Institute of Special Equipment Inspection and Test

Addressö 1032 Honggang Road, Luohu District, Shenzhen,Guangdong Province

Approval No. TS7610038-2021

Postcodeö 518029

Branch Nameö LongHua QingHu Branch of Shenzhen Institute of Special Equipment Inspection and Test

Branch Addressö 50 QingCui Road, QingHu, LongHua Block, LongHua District, Shenzhen,Guangdong Province

Postcodeö 518109

Phoneö 0755 28079821 , 0755 28079351

Websiteö www.sise.org.cn Emailö szlift@sise.org.cn

Product name	Lift traction machine	Model/Type	WYT-T
Working condition	Indoor	Construction pattern	3 phase AC permanent magnet synchronous structure without reduction device (output sdevic

No.	Project code	Items	Results	Conclusion
1	Y5.1	Certificate and related technical data	Information Complete	Pass
2	Y5.2	Calculation data	Information Complete	

TYPE-EXAMINATION REPORT of SPECIAL EQUIPMENT (LIFT)

TYPE-EXAMINATION REPORT of
SPECIAL EQUIPMENT
(LIFT)

SHENZHEN INSTITUTE OF SPECIAL EQUIPMENT INSPECTION AND TEST

TS7610038-2021

TYPE-EXAMINATION REPORT of SPECIAL EQUIPMENT (LIFT)

[redacted]

4. Changes of The Type-Examination Report

If the name or address of the applicant (or oversea manufacturer) has any change, please submit a change request with related supporting evidence to the previous type-test agency. After confirmation, the agency will indicate the change on the change record page.

The change record see the attached page (If any).

----------The reminder of this page is intentionally left blank----------